




# CMP22110S-120



## 120 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

PanelType	PremiumSunPower Monocrystalline
Rated Power	<b>120 Watts</b>
PeakPowerVoltage(Vmpp)	19.6 Volts
PeakPowerAmps(Imp)	5.9 Amps
OpenCircuitVoltage(Voc)	23.1 Volts
ShortCircuitCurrent(Isc)	6.4 Amps
CellConversionEfficiency	24.4% 5
ManufacturersWarranty	Years
Dimensions	21.3" X 41.7"
Weight	540mm X 1060mm
OutputConnections:	14.3 pounds, 6.5 kg MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)


248 705-8337



# CMP22140S-145


## 145 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

PanelType	PremiumSunPower Monocrystalline
Rated Power	<b>145 Watts</b>
PeakPowerVoltage(Vmpp)	24.5Volts
PeakPowerAmps(Imp)	5.9Amps
OpenCircuitVoltage(Voc)	28.9 Volts
ShortCircuitCurrent(Isc)	6.3 Amps
CellConversionEfficiency	24.4% 5
ManufacturersWarranty	Years
Dimensions	26.8" X 41.7"
Weight	680mm X 1060mm
OutputConnections:	18.5 pounds, 8.4 kg MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)


248 705-8337



# CMP22150S-165


## 160 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

PanelType	PremiumSunPower Monocrystalline
RatedPower	<b>160 Watts</b>
CellType	125X125 4X11
PeakPowerVoltage(Vmpp)	27.0 Volts
PeakPowerAmps(Imp)	6.1 Amps
OpenCircuitVoltage(Voc)	31.8 Volts
Short Circuit Current (Isc)	6.5 Amps
PowerToleranceRange	+/- 3%
CellConversionEfficiency	24.4%
ManufacturersWarranty	5 Years
Dimensions	21.25" x 56.9"
Weight	540mm x 1445mm
OutputConnections:	19.6 pounds, 8.9 kg MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)

248 705-8337






# CMP22175S-180

## 180 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)

### Specifications:

PanelType	PremiumSunPower Monocrystalline
RatedPower	<b>180 Watts</b>
CellType	125X125 7X7
PeakPowerVoltage(Vmpp)	30.0 Volts
PeakPowerAmps(Imp)	6.0Amps
Open Circuit Voltage (Voc)	35.4 Volts
ShortCircuitCurrent(Isc)	6.4 Amps
PowerToleranceRange	+/- 3%
CellConversionEfficiency	24.4%
ManufacturersWarranty	5 Years
Dimensions	36.3" x 37"
Weight	920mm X 940mm
OutputConnections:	20.9 pounds, 9.5kg MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)

248 705-8337



# CMP22200SX-210

## 205 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)

### Specifications:

PanelCellType	PremiumSunPower Monocrystalline
RatedPower	<b>205Watts</b>
CellType	125X125 5X11
PeakPowerVoltage(Vmpp)	33.7 Volts
PeakPowerAmps(Impp)	6.0 Amps
Open Circuit Voltage (Voc)	39.7 Volts
ShortCircuitCurrent(Isc)	6.3 Amps
PowerToleranceRange	+/- 3%
CellConversionEfficiency	24.4%
ManufacturersWarranty	5 Years
Dimensions	26.8" x 56.9"
Weight	680mm X 1445 X 40mm
OutputConnections:	23.6 pounds, 10.7 kg MC4




### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)

248 705-8337






# CMP22225SX-245



## 245 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

PanelType	PremiumSunPower Monocrystalline
RatedPower	<b>245Watts</b>
CellType	125X125 6X11 cells
PeakPowerVoltage(Vmpp)	40.4 Volts
PeakPowerAmps(Imp)	6.0 Amps
Open Circuit Voltage (Voc)	47.8 Volts
ShortCircuitCurrent(Isc)	6.3 Amps
PowerToleranceRange	+/- 3%
CellConversionEfficiency	24.4%
ManufacturersWarranty	5 Years
Dimensions	31.1" x 56.3"
Weight	28.2 pounds, 12.8 kg
OutputConnections:	MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)


248 705-8337



# CMP22270SX-285



## 285 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

PanelType	PremiumSunPower Monocrystalline
RatedPower	<b>285Watts</b>
CellType	125X125 7X11cells
PeakPowerVoltage(Vmpp)	47.1 Volts
Peak Power Amps (Impp)	6.0 Amps
OpenCircuitVoltage(Voc)	55.6 Volts
ShortCircuitCurrent(Isc)	6.3 Amps
PowerToleranceRange	+/- 3%
CellConversionEfficiency	24.4%
ManufacturersWarranty	5 Years
Dimensions	36.2" x 56.9"
Weight	920mm X 1445 X 40mm
OutputConnections:	31.3 pounds, 14.2 kg MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)


248 705-8337



# CMP27420H


## 420 Watt Rigid Marine Solar Panel

[View on our Shopify store >>](#)



### Specifications:

Panel Type	Monocrystalline A+ HJT Cell
Rated Power	<b>420 Watts</b>
Cell Type	158x158 6x24 cells
Peak Power Voltage (V <sub>mp</sub> )	46.08 Volts
Peak Power Amps (I <sub>mp</sub> )	9.11 Amps
Open Circuit Voltage (V <sub>oc</sub> )	54.37 Volts
Short Circuit Current (I <sub>sc</sub> )	9.66 Amps
Power Tolerance Range	+/- 3%
Temp Coefficient P <sub>max</sub> (%/K)	-0.41
Cell Conversion Efficiency	24%
Manufacturers Warranty	5 Years
Dimensions	39" x 78.5" x 1.6"
Weight	992mm x 1995 x 40mm 50.7 pounds, 23 kg
Output Connections:	MC4



### Custom Marine Products

QMS, Inc.

[custommarineproducts.com](http://custommarineproducts.com)

[info@custommarineproducts.com](mailto:info@custommarineproducts.com)

248 705-8337